

## INCIDENT REPORTS 2013--Bluegrass Community & Technical College

Date	Time	Category	Description	Location	Disposition
1/7/2013	1332	Other	9-1-1 Testing	C-Building, 100	Closed
1/8/2013	944	Other	9-1-1 Testing	South Wing, 107	Closed
1/8/2013	1233	Hazardous Condition	City Sewer Line Backed up	South of Building B	Closed
1/8/2013	1445	Vandalism-Personal Property	Slashed Tires on student's car	Parking Lot C	Closed
1/9/2013	1447	Vandalism-Personal Property	parts on student vehicle	Parking Lot H	Closed
1/9/2013	1530	Drug/ Alcohol	Strong odor reported	Building C, One Stop	Closed
1/10/2013	1635	Theft	Shoplifting of textbooks	Building C, Bookstore	Closed
1/12/2013	1142	Alarm-Burglar	Door open/Motion Sensor	Building M, 142, Door 139	Closed
1/15/2013	337	Other	Winter Weather Advisory	Campus Wide	Closed
1/21/2013	623	Alarm-Burglar	Child care	N-Building, 106	Closed
1/22/2013	846	Other	Smell of smoke	N-Building, 109A	Closed
1/22/2013	842	Disruptive Student	Class disruption	M-Building, 121	Closed
1/22/2013	1610	Other	9-1-1 Hangup	N-Building, 110	Closed
1/23/2013	1017	Other	9-1-1 Hangup	C-Building, 154	Closed
1/24/2013	1244	Other	Power Outage in Office	C-Building, 100	Closed
1/24/2013	2038	Other	Trespass	Downtown Campus	Closed
1/25/2013	1256	Other	9-1-1 Hangup	N-Building, 110F	Closed
1/25/2013	1910	Other	Alarm Panel Trouble	A-Building	Closed
1/26/2013	1624	Other	Campus	Campus Wide	Closed
1/28/2013	800	Other	Missing Wireless Keyboard	A-Building, 208/209	Closed
1/28/2013	1236	Other	9-1-1 Hangup	Unknown	Closed
1/29/2013	1941	Alarm-Fire	Trouble Alarm	A-Building	Open
1/29/2013	949	Medical	Student	B-Building, Hallway	Closed
1/30/2013	600	Hazardous Condition	Severe Weather Outlook	Campus Wide	Closed
1/30/2013	825	Vandalism-School Property	Overhead Door- Welding Lab	S-Building,	Closed
1/30/2013	1146	Threat- Written	Note left on car	Parking Lot C	Open
1/31/2013	1035	Medical	Student v Grinder	S-Building, Welding Lab	Closed
1/31/2013	1050	Other	Parking Complaint	Parking Lot G	Closed
1/31/2013	1114	Other	Circuit Breaker Issue	A-Building, 2nd floor	Closed

1/31/2013	1120	Hazardous Condition	Winter Weather Advisory	Campus Wide	Closed
1/31/2013	1605	Other	Keys locked in office	A-Building, 116	Closed
1/31/2013	1700	Disruptive Visitor	Youths roaming halls/offices	North Wing	Open
2/1/2013	544	Hazardous Condition	Winter Weather Advisory	Campus Wide	Closed
2/1/2013	925	Hazardous Condition	Slippery entryway	North Wing	Closed
2/2/2013	824	Hazardous Condition	Slippery Conditions	Campus Wide	Closed
2/5/2013	1007	Other	9-1-1 Hangup	C-Building, 112	Closed
2/5/2013	1525	School Code of Conduct	Reported Harassment	C-Building, Café	Open
2/5/2013	2155	Alarm-Burglar	Motion Detected	M-Building, Lobby	Closed
2/6/2013	1408	Theft	Textbooks	C-Building, Bookstore	Open
2/6/2013	1526	Alarm-Fire	Water Flow Detected	B-Building, Hallway	Closed
2/6/2013	1100	Other	Power Outage in Office	A-Building 219	Closed
2/7/2013	1120	Disruptive Employee	Personal Space Issue	M-Building Lobby	Closed
2/8/2013	745	Other	Room Temp too high	C-Building, 136	Closed
2/8/2013	1358	Disruptive Visitor	Financial Aid Issue	C-Building, Business Office	Closed
2/12/2013	1330	Alarm-Fire	Semi- Annual Fire Drill	Campus Wide	Closed
2/12/2013	1509	Theft	License Plate off vehicle	Parking Lot F	Closed
2/13/2013	1149	Disruptive Visitor	Unhappy with Test Scores	N-Building, 110F	Closed
2/13/2013	1212	Alarm-Fire	Electrical Short	A-Building, 125	Closed
2/15/2013	1305	Threat- Verbal	Bullying Issue	Phone Call	Closed
2/16/2013	753	Alarm-Burglar	Motion Detected	A-Building, 1st floor hallway	Closed
2/17/2013	1803	Alarm-Burglar	Motion Detected	C-Building, Hallway	Open
2/19/2013	1455	Theft	Suspected theft reported	S-Building, 116	Open
2/20/2013	1320	Vandalism- School Property	Offensive Graffiti	M-Building, Mens Room	Closed
2/22/2013	1605	Medical	Dizzy, Nausea	S-Building, 107	Closed
2/28/2013	350	Medical	Accident	N-Building, Women's Room	Closed
3/2/2013	704	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
3/2/2013	727	Alarm-Burglar	Motion Detected	A-Building	Closed
3/3/2013	1002	Alarm-Burglar	Motion Detected	C-Building, OFC Commons	Closed
3/4/2013	609	Alarm-Burglar	Motion Detected	A-Building, 2nd Floor entrance	Closed
3/5/2013	800	Other	Alarm Panel Trouble	C-Building	Open
3/6/2013	355	Alarm-Burglar	Motion Detected	N-Wing, Maintenance	Closed
3/16/2013	1050	Theft	Reported Theft of Metals	S-Wing, Storage area	Closed
3/17/2013	1153	Medical	Slip/Fall/Head Injury	A-Building, 2nd Floor Entry	Closed

3/23/2013	1820	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
3/28/2013	1410	Vandalism- Personal Property	Vehicle	Parking Lot F	Closed
4/1/2013	800	Hazardous Condition	Boiler Issue	South Wing	Closed
4/3/2013	1320	Other	Lockdown Drill	Campus Wide	Closed
4/9/2013	840	Other	Found Cell Phone	A-Building, Lower entrance	Closed
4/17/2013	1243	Threat- Written	Text messaging	N-121	Open
4/18/2013	1109	Threat- Verbal	Teacher uncomfortable	M122C	Open
4/23/2013	948	Theft	Missing Laptop	M240	Open
4/26/2013	1430	Threat- Verbal	Speaker demanded payment	C136	Closed
5/4/2013	710	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
5/5/2013	1013	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
5/11/2013	706	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
5/18/2013	658	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
5/18/2013	720	Alarm-Burglar	Motion Detected	Manufacturing Bldg	Closed
5/24/2013	2010	Alarm-Burglar	Motion Detected	B-Building, Hallway	Closed
5/25/2013	704	Alarm-Burglar	Motion Detected	A-Building, Lower entrance	Closed
6/14/2013	650	Alarm-Burglar	Motion Detected	C-Building	Closed
6/15/2013	746	Alarm-Burglar	Motion Detected	C-Building, Hallway	Closed
6/16/2013	2043	Alarm- Fire Panel Trouble	Communication issue	C-Building	Closed
6/18/2013	855	Vehicle Accident- No Injuries	car	Lot A	Closed
6/18/2013	1330	Medical	Injury	C-Building, Hallway	Closed
6/19/2013	1315	Alarm- Fire Panel Trouble	Communication issue	C-Building Zone 6	Closed
6/23/2013	2340	Alarm- Fire Panel Trouble	Communication issue	C-Building Zone 6	Closed
6/24/2013	738	Alarm- Fire Panel Trouble	Communication issue	C-Building Zone 6	Closed
6/24/2013	745	Other	Campus	Campus Wide	Closed
6/25/2013	1249	Hazardous Condition	Gas line rupture	Newtown Campus	Closed
6/26/2013	926	Disruptive Visitor	Previously notified of trespass	Downtown Campus	Closed
6/27/2013	910	Safety	Roof Leak	C-Building, Student Lounge	Closed
7/1/2013	915	Other	Security camera damaged	B-Building, Receiving	Closed
7/3/2013	800	Other	CCTV Server outage	C-Building, 144	Closed
7/3/2013	1017	Alarm- Fire Panel Trouble	Communication issue	C-Building, 144	Closed
7/4/2013	2139	Alarm-Burglar	Motion Detected	C-Building, Main Doors	Closed
7/5/2013	112	Alarm- Fire Panel Trouble	Zone 3	C-Building	Closed
7/5/2013	634	Alarm- Fire Panel Trouble	Zone 6	B-Building	Closed

7/5/2013	729	Other	Door Access	ALL	Closed
7/5/2013	830	Other	CCTV Server outage	C-Building, 144	Open
7/17/2013	1310	Disruptive Student	Harassment	C-Building, 100	Closed
7/17/2013	on going	Alarm-Fire Panel Trouble	Zone 3	C-Building	Closed
7/20/2013	720	Alarm-Burglar	Motion Detected	A-Building	Closed
7/21/2013	840	Alarm-Burglar	Motion Detected	A-Building	Closed
7/22/2013	910	Other	Harassment	Off Campus	Closed
8/8/2013	1440	Drug/ Alcohol	Evidence of alcohol	Parking lot F	closed
8/9/2013	1045	Other	Suspicious Individual	C-Building, Student Lounge	Closed
8/13/2013	1515	Disruptive Visitor	Upset parent	C-Building Business office window	Closed
8/14/2013	1815	Other	Window unsecure	A-Building A-131	Closed
8/20/2013	1718	Theft	Books	B&N	Closed
8/23/2013	1600	Other	Items found	A-Building stairway	Closed
8/24/2013	844	Alarm-Burglar	Motion Detected	M-Building	Closed
8/25/2013	1610	Fire	Mulch Fire	C-Building, Entrance	Closed
8/26/2013	1100	Other	Complaint	Behind N-Wing	Open
8/27/2013	2140	Safety	Parking	Behind C- Building	Closed
9/4/2013	1412	Alarm- Fire	Semi- Annual Fire Drill	Campus Wide	Closed
9/7/2013	809	Alarm Burglar	Motion Detected	M-Building	Closed
9/9/2013	1332	Medical/ 911 called	Pace Worker	C- Building	Closed
9/17/2013	1119	Other	9-1-1 Call	N-Building	Closed
9/18/2013	1100	Other	Lockdown Drill	B-Building	Closed
9/21/2013	1000	Alarm Burglar	Motion Detected	B-Building	Closed
10/1/2013	2045	Theft	copper cable	S-Building	Closed
10/2/2013	800	Investigation	RE: L2013-10-121	S-Building, 116	Open
10/24/2013	1615	Theft	Bookstore	C- Building	Closed
10/28/2013	1319	Medical	Disruptive Student	A-Building, 2nd floor hallway	Closed
10/29/2013	1030	Medical	Twisted Ankle	Sidewalk btw C & S	Closed
10/29/2013	1316	Investigation	Minor Student	B-Building	Open
10/29/2013	1417	Vehicle Accident- No Injuries	Students	Main Entrance	Closed
11/15/2013	615	Alarm Burglar	Motion Detected	B-Building	Closed
11/15/2013	1300	Alarm Panel	System Check	Campus Wide	Closed
11/19/2013	800	Other	HR Assist	N-Building	Closed
11/19/2013	900	Other	Vehicle Assist	Parking Lot G	Closed













## Leestown Campus

Incident #	Notations
L2013-01-1	
L2013-01-2	
L2013-01-3	LFUCG
L2013-01-4	Lexington Police Investigation
L2013-01-5	False Report- Battery Dead
L2013-01-6	Unable to confirm
L2013-01-7	Manager did not call police
L2013-01-8	Employee entered not knowing alarm was on
L2013-01-9	Expired 900, January 16
L2013-01-10	MLK Holiday
L2012-01-11	Blown Ballast
L2013-01-12	Referred to James Chambers
L2013-01-13	Accidental
L2013-01-14	Accidental
L2013-01-15	Tripped Circuit Breaker
L2013-01-16	Lexington Police Investigation
L2013-01-17	Accidental
L2013-01-18	Data Line Loss, Phone line not active
L2013-01-19	Cincinatti Bell issue
L2013-01-20	Found in LRC
L2013-01-21	Accidental
L2013-01-22	No troubles found
L2013-01-23	EMS Called
L2013-01-24	Severe Thunderstorm Watch, Tornado Watch
L2013-01-25	Repairs to door made
L2013-01-26	Upset with parking space
L2013-01-27	Left hand abrasion injury
L2013-01-28	Permitted vehicle
L2013-01-29	M&O notified

L2013-01-30	1.5" to 2" snow possible, isolated squalls
L2013-01-31	
L2013-01-32	Investigation using CCTV
L2013-02-33	SNAP Delay All Campuses BCTC until 0930
L2013-02-34	M&O notified
L2013-02-35	M&O notified
L2013-02-36	Accidental
L2013-02-37	Referred to James Chambers
L2013-02-38	Human error
L2013-02-39	Attempt to sell back stolen books
L2013-02-40	Water Main Pressure Issue
L2013-02-41	M&O notified
L2013-02-42	False Alarm
L2013-02-43	M&O notified
L2013-02-44	Observed from distance
L2013-02-45	
L2013-02-46	Advised caller to notify LPD
L2013-02-47	Assessment Center
L2013-02-48	Outlets along wall too low
L2013-02-49	Referred to James Chambers
L2013-02-50	Employee entered not knowing alarm was on
L2013-02-51	Lexington Police Called to scene
L2013-02-52	Investigation using CCTV
L2013-02-53	Houskeeping Removed
L2013-02-54	LFUCG Ambulance Transport
L2013-02-55	Back hurt by door opening
L2013-03-56	Entered building too early
L2013-03-57	Entered building too early
L2013-03-58	LFUCG Metro Police Dispatched
L2013-03-59	Entered building too early
L2013-03-60	Panel not reporting to the monitoring service
L2013-03-61	Snow removal
L2013-03-62	No material stolen
L2013-03-63	LFUCG EMS Transport to ER

L2013-03-64	Disregarded. Employee entered building late.
L2013-03-65	Lexington Police Called to scene
L2013-04-66	Alpha Mechanical called
L2013-04-67	
L2013-04-68	Pantech Smart Phone
L2013-04-69	EPO
L2013-04-70	Referred to James Chambers
L2013-04-71	Police Report Filed
L2013-04-72	Escorted off campus
L2013-05-73	Security arriving at start of shift
L2013-05-74	Employee retrieving items from office
L2013-05-75	Security Badge did not work
L2013-05-76	Security Badge did not work
L2013-05-77	Employee entered not knowing alarm was on
L2013-05-78	Employee retrieving items from office
L2013-05-79	Security arriving at start of shift
L2013-06-80	Badge did not work
L2013-06-81	Temporary Security Staff error
L2013-06-82	
L2013-06-83	Lexington FD & PD response
L2013-06-84	Employee caught right hand in doorway
L2013-06-85	
L2013-06-86	
L2013-06-87	
L2013-06-88	KCTCS system wide outage
L2013-06-89	KY Dept. of Emergency Management Response
L2013-06-90	Lexington Metro PD response
L2013-06-91	M&O notified
L2013-07-92	Repaired. Needs focused
L2013-07-93	Bad switch replaced. Server rebooted.
L2013-07-94	Due to server outage
L2013-07-95	Lexington Metro PD response
L2013-07-96	Power outage
L2013-07-97	Power outage

L2013-07-98	Doors magnetically sealed due to power outage
L2013-07-99	Power outage
L2013-07-100	Matter Referred to Dean of Students
L2013-07-101	Water Leak in HVAC system caused short
L2013-07-102	Employee entered not knowing alarm was on
L2013-07-103	Employee entered not knowing alarm was on
L2013-07-104	Related to previous IR L2013-04-69
L2013-08-105	
L2013-08-106	Theatre actor. Preparing for performance
L2013-08-107	
L2013-08-108	
L2013-08-109	Theft of school books
L2013-08-110	
L2013-08-111	Employee without alarm code
L2013-08-112	Discarded cigarette butt. Extinguished with water.
L2013-08-113	ADA issue
L2013-08-114	
L2013-09-115	
L2013-09-116	
L2013-09-117	
L2013-09-118	Accidental
L2013-09-119	
L2013-09-120	Instructor
L2013-10-121	
L2013-10-122	Lexington Police Investigation
L2013-10-123	Lexington Police Investigation
L2013-10-124	LFUCG Ambulance Transport
L2013-10-125	Mother picked up student
L2013-10-126	Possible Harassment
L2013-10-127	
L2013-11-128	Accidental
L2013-11-129	
L2013-11-130	
L2013-11-131	Broken down vehicle











